

# *ANAESTHESIA AND INTENSIVE CARE*

*Journal of the Australian Society of Anaesthetists*

---

## **INDEX**

**Volume 22, 1994**

(C) indicates correspondence

(R) indicates book review

## INDEX

A classification of anaesthesia for record purposes: Grant C. G., **461**  
 A comparison of syringes to collect blood for analysis of gases, electrolytes and glucose: Carter B. G., Tibballs J., Hochmann M., Osborne A., Chiriano A., Murray G., **696**  
 A comparison of the effect of propofol or thiopentone on the incidence and severity of suxamethonium-induced myalgia: McClymont C., **147**  
 A comparison of three induction agents in paediatric anaesthesia—cardiovascular effects and recovery: Jones R. D. M., Visram A. R., Chan M. M. Y., Bacon-Shone J., Mya G. H., Irwin M. G., **545**  
 A double-blind comparison of vecuronium administered by the Springfusor infusion device to vecuronium by intermittent bolus injection in critically ill adult patients: Freebairn R., Joynt G. M., Lipman J., Bothma P. A., **580**  
 A national survey of atropine use by Australian anaesthetists: Parnis S. J., van der Walt J. H., **61**  
 A novel equipment bridge for helicopter transport of critically ill patients: Evans J. S. M., Hotter A., **284**  
 A simple method of bronchoalveolar lavage: Schindler M. B., Cox P. N., **66**  
 Abdulfatif M.: Sodium nitroprusside induced hypotension: haemodynamic response and dose requirements during propofol or halothane anaesthesia, **155**  
 Abstracts of Papers: Abstracts of the Annual Scientific Meeting of the Australian and New Zealand College of Anaesthetists and Faculty of Intensive Care—Launceston, Tasmania, May 1994, **475**  
 Abstracts of papers: Abstracts of the Annual Scientific Meeting of the Australian Society of Anaesthetists, Perth, Western Australia, October 22–17, 1993, **97**  
 Abstracts of Papers: Abstracts of the 18th Scientific Meeting of the Australian and New Zealand Intensive Care Society, Perth, Western Australia, October 1993, **211**  
 Aconite poisoning managed with a ventricular assist device: a case report: Fitzpatrick A. J., Crawford M., Allan R. M., Wolfenden H., **714**  
 Acupressure, P6, and nausea and vomiting after gynaecological surgery: Allen D. L., Kitching A. J., Nagle C., **691**  
 Acute necrotising myopathy and acute renal failure in association with acute severe asthma: O'Leary M. J., Honavar M., Coakley J. H., **729**  
 Adult respiratory distress syndrome caused by superior mesenteric artery syndrome: Banerjee A., O'Neil R., Bidstrup H., **602**  
 Adult respiratory distress syndrome—an update: Chapman M. J., **255**  
 Adverse incident reporting in intensive care: Hart G. K., Baldwin I., Gutteridge G., Ford J., **556**  
 Agiomea K.: see Sparks C. J., **187**  
 Air, use of, to maintain nitrogen stores during low flow and closed circuit anaesthesia: Stokes J. W., **391**  
 Airway anatomy, upper, assessment of in awake, sedated and anaesthetised patients using magnetic resonance imaging: Shorten G. O., Opie N. J., Graziotti P., Morris I., Khangure M., **165**  
 Alexander K.: See Blake D., **752**  
 Allan R. M.: see Fitzpatrick A. J., **712**  
 Allen D. L., Kitching A. J., Nagle C.: P6 acupressure and nausea and vomiting after gynaecological surgery, **691**  
 Alterations in endotracheal tube position during general anaesthesia: Yap S.-J., Morris R. W., Pybus D. A., **586**  
 Anaesthesia for laser prostatectomy: Costello T. G., Costello A. J., **454**  
 Anaesthesia for three-stage thoracoscopic oesophagectomy: an initial experience: Chui P. T., Mainland P., Chung S. C., Chung D. C., **593**  
 Anaesthesia for thymectomy in myasthenia gravis: a non-muscle-relaxant technique: El-Dawlatly A. A., Ashour M. H., **458**  
 Anaesthesia in a patient with untreated myxoedema coma: Cone A. M., **295**  
 Anaesthesia-induced rhabdomyolysis causing cardiac arrest: case report and review of anaesthesia and the dystrophinopathies: Farrell P. T., **597**  
 Anaesthetic clinic, referral of surgical patients to: A decision-making analysis: Lee A., Lum M. E., Hillman K. M., Bauman A., **562**  
 Anaesthetic management for laparoscopic sterilization and termination of pregnancy in a patient with severe primary pulmonary hypertension: Myles P. S., **465**  
 Anaesthetic management of a patient with severe bullous lung disease complicated by air leak: Myles P. S., Moloney J., **201**  
 Anaesthetic management of tracheal surgery using the laryngeal mask airway: Divatia J. V., Sareen R., Upadhye S. M., Sharma K. S., Shergaonkar J. R., **69**  
 Analysers, in-circuit: Ilsley A. H., Lillie P. E., **415**  
 Analysis of gases, electrolytes and glucose, a comparison of syringes to collect blood for: Carter B. G., Tibballs J., Hochmann M., Osborne A., Chiriano A., Murray G., **696**  
 Anaphylactic reaction to chlorhexidine in urinary catheter lubricant: Russ B., Maddern P., **611**  
 Anaphylactoid reaction: oxygen transport and haemodynamic changes during an: Fawcett W. J., Shephard J. N., Soni N. C., Barnes P. K., **300**  
 Antacids, non-particulate, in vitro buffering capacities of proprietary, available in New Zealand: Watts D. W., **184**  
 Anti-cardiolipin antibody syndrome as a cause of failure of central venous cannulation, Brachiocephalic vein obstruction: Watts A. D. J., Platt P. R., **197**  
 Apnoea, postoperative, in infants: Sims C., Johnson C. M., **40**  
 Apnoea, prolonged, suxamethonium-induced in a premature neonate: Frawley G. P., Carden J. R., **192**  
 Aprotinin, high dose, in cardiac surgery: Swart M. J., Gordon P. C., Hayse-Gregson P. B., Dyer R. A., Swanepoel A. L., Buckels N. J., Schall R., Odell J. A., **529**  
 Ashour M. H.: see El-Dawlatly A. A., **458**  
 Assessment of upper airway anatomy in awake, sedated and anaesthetised patients using magnetic resonance imaging: Shorten G. D., Opie N. J., Graziotti P., Morris I., Khangure M., **165**  
 Asystolic cardiac arrest during laparoscopic cholecystectomy: Biswas T. K., Pembroke A., **289**  
 Atropine use by Australian anaesthetists, a national survey of: Parnis S. J., van der Walt J. H., **61**  
 Au-Yeung P.: (C), **111**  
 Aun C.: (R), **751**  
 Avraamides E. A.: see Sims C., **272**  
 Awake fibreoptic intubation via a laryngeal mask in an infant with Goldenhar's Syndrome: Johnson C. M., Sims C., **194**  
 Babarczy A.: (C), **497**  
 Back to basics—a simplified non-mathematical approach to low flow techniques in anaesthesia: Baker A. B., **394**  
 Bacon-Shone J.: see Brown A. G., **150**  
 See Jones R. D. M., **545**  
 Bailey M.: (R), **124**  
 Baines D.: (R), **748**  
 Baines D.: (C), **738**  
 Baker A. B.: Editorial—Low flow and closed circuits, **341**  
 Back to basics—a simplified non-mathematical approach to low flow techniques in anaesthesia, **394**  
 See Wallace S. R., **442**  
 Baker A. B.: (R), **750**  
 Baldwin I.: see Hart G. K., **556**

Banerjee A., O'Neil R., Bidstrup H.: Adult respiratory distress syndrome caused by superior mesenteric artery syndrome, 602  
 Barnes P. K.: see Fawcett W. J., 300  
 Bashford L.: see Brimacombe J., 291  
 Bassham M.: see Watts R. W., 706  
 Batchelor A. M.: see Conacher I. D., 179  
 Bauman A.: see Lee A., 562  
 Beale R.: (C), 312  
 Beards S. C.: (C), 232  
 Beavis R. E.: (C), 120  
 Bergesio R.: see Sims C., 272  
 Berry A.: (C), 119  
     (C), 313  
 Bersten A. D.: see Holt A. W., 170  
 Bharathi Mohan S., Tamilarasan A., Buhl M. R.: Inhalational mercury poisoning masquerading as toxic shock syndrome, 305  
 Bhardwai N.: (C), 624  
 Bidstrup H.: see Banerjee A., 602  
 Bignell S.: (C), 736  
     (C), 744  
 Bihari D.: (C), 312  
 Bilateral vocal cord paralysis following endotracheal intubation: Cheong K. F., Chan M. Y. P., Sin Fai Lam K. N., 206  
 Biswas T. K.: see Navaratnam S., 288  
     Pembroke A.: Asystolic cardiac arrest during laparoscopic cholecystectomy, 289  
 Bjorksten A.: see Blake D. W., 522  
 Blake D.: (R), 752  
 Blake D. W., Bjorksten A., Dawson P., Hiscock R.: Pharmacokinetics of bupivacaine enantiomers during interpleural infusion, 522  
 Blood loss and transfusion requirements in liver transplantation: experience with the first 75 cases: McNicol P. L., Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus J. P. W., Hardy K. J., Jones R. M., 664  
 Bodlander F. M. S.: (C), 497  
 Bond A.: (C), 316  
 Bonsu A.: see Maroof M., 605  
 Borschott D.: see Swan H. D., 139  
 Bothma P. A.: see Freebairn R., 580  
 Bowkett J., Angus J. P. W.: see McNicol P. L., 659  
     See McNicol P. L., 666  
 Brachiocephalic vein obstruction: Anti-cardiolipin antibody syndrome as a cause of failure of central venous cannulation: Watts A. D. J., Platt P. R., 197  
 Bradburn N.: (R), 747  
 Breaden A.: see Myles P. S., 672  
 Brimacombe J.: (C), 119  
     (C), 236  
     See Thomas G. M., 276  
 Gandini D., Bashford L.: Transient decrease in arm blood flow following accidental intra-arterial injection of propofol into the left brachial artery, 291  
     (C), 313  
     (C), 319  
     (C), 504  
     (C), 623  
     (C), 625  
 The incendiary characteristics of the laryngeal and reinforced laryngeal mask airway to CO<sub>2</sub> laser strike—a comparison with two polyvinyl chloride tracheal tubes, 694  
     (C), 738  
     (C), 748  
 Bronchoalveolar lavage, a simple method of: Schindler M. B., Cox P. N., 66  
 Brown A. G., Visram A. R., Jones R. D. M., Irwin M. G., Bacon-Shone J.: Preoperative and postoperative oxygen saturation in the elderly following spinal or general anaesthesia—an audit of current practice, 150  
 Buckels N. J.: see Swart M. J., 529  
 Buckley M. R.: see Myles P. S., 672  
 Buckley T. A.: see So H. Y., 647  
 Bucci M.: (C), 320

Buhl M. R.: see Bharathi Mohan S., 305  
 Buist M.: Intensive care unit resource utilisation, 46  
 Bujor M. A.: see Myles P. S., 672  
 Bullous lung disease, severe, complicated by air leak, anaesthetic management of a patient with: Myles P. S., Moloney J., 201  
 Bupivacaine enantiomers, pharmacokinetics of the during interpleural infusion: Blake D. W., Bjorksten A., Dawson P., Hiscock R., 522  
 Burgess, R. W.: see Riley D. P., 571  
 Burnell R.: (C), 505  
 Burrowes R.: (C), 117  
 Burt P.: see Sutherland M. J., 733  
 Caesarean section, spinal anaesthesia for, in the Solomon Islands: Sparks C. J., Perndie H., Agiomea K., Fa'arondo J., 187  
 Cairns C. S.: see Stuart J. C., 679  
 Cairo S. A.: (C), 231  
 Campbell R. C. H.: see Rodrigo M. R. C., 576  
 Cannon G. B.: see Myles P. S., 672  
 Carbon dioxide filtration, closed, revisited: Morris L., 345  
 Carden J. R.: see Frawley G. P., 192  
 Cardiac arrest following Haemaccel: Duffy B. L., Harding J. N., Fuller W. R., Peake S. L., 90  
 Cardioplegia, using lignocaine, incidence of ventricular fibrillation after aortic cross-clamp release: Wallace S. R., Baker A. B., 442  
 Cardiopulmonary resuscitation, factors affecting outcome following: Review: So H. Y., Buckley T. A., Oh T. E., 647  
 Carter B. G., Tibballs J., Hochmann M., Osborne A., Chiriano A., Murray G.: A comparison of syringes to collect blood for analysis of gases, electrolytes and glucose, 696  
 Cass N.: (R), 629  
     (R), 752  
     (R), 753  
 Cay D. L.: (C), 497  
 Central venous catheterisation, depth of: an audit of practice in a cardiac surgical unit: Rutherford J. S., Merry A. F., Occleshaw C. J., 267  
 Chalkiadis G.: see Murphy D. F., 589  
 Chan M. M. Y.: see Jones R. D. M., 545  
 Chan M. Y. P.: see Cheong K. F., 206  
 Chandrachud H. R.: see Stuart J. C., 677  
 Changes in oxygen saturation in the 72 hours after hip surgery; the effect of oxygen therapy: Fugere F., Owen H., Ilsley A. H., Plummer J. L., Hawkins D. J., 724  
 Chapman M. J.: Adult respiratory distress syndrome—an update, 255  
 Chari P.: (C), 624  
 Chen P. P.: see Suen T. K. L., 142  
 Cheong K. F., Chan M. Y. P., Sin Fai Lam K. N.: Bilateral vocal cord paralysis following endotracheal intubation, 206  
 Cheung L. P.: see Rowbottom S. J., 74  
 Chiriano A.: see Carter B. G., 696  
 Cholecystectomy, laparoscopic, asystolic cardiac arrest during: Biswas T. K., Pembroke A., 289  
 Chow J.: see Rodrigo M. R. C., 576  
 Chui P. T., Mainland P., Chung S. C., Chung D. C.: Anaesthesia for three-stage thorascopic oesophagectomy: an initial experience, 593  
 Chung D. C.: see Chui P. T., 593  
 Chung S. C.: see Chui P. T., 593  
 Clarke G.: (C), 319  
 Clarke G. M.: (C), 313  
 Clinical comparison of spontaneous respiration versus controlled ventilation general anaesthesia using isoflurane for intraocular surgery: intraoperative recovery and postoperative effects: van den Berg A. A., Honjol N. M., 683  
 Clonidine, opioid and lignocaine, intravenous; intraoperative and postoperative analgesia using: De Kock M., Lavandhomme P., Scholtes J. L., 15  
 Closed carbon dioxide filtration revisited: Morris L., 345  
 Closed circuit high flow anaesthesia: Verkaaik A., Van Dijk G., 426  
 Closed system with agent-specific vaporizers and nitrous oxide: Morris L., 387  
 Clough J. B., Duncan A. W., Sly P. D.: The effect of sustained positive airway pressure on derived cardiac output in children, 30

Coagulopathy, patterns of, during liver transplantation: Experience with the first 75 cases using thrombelastography: McNicol P. L., Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus P. W., Hardy K. J., Jones R. M., 659

Coakley J. H.: See O'Leary M. J., 729

Cobcroft M. D.: (C), 237

Collier C. B.: Postoperative paraplegia: an unusual case, 293

Comparison of patient-controlled analgesia and nurse-controlled infusion analgesia after cardiac surgery: Myles P. S., Buckland M. R., Cannon G. B., Bujor M. A., Langley M., Breaden A., Salamonsen R. F., Davis B. B., 672

Conacher I. D., Herrema I. H., Batchelor A. M.: Robertshaw double-lumen tubes: a reappraisal thirty years on, 179

Cone A. M.: Exercise-induced transient global amnesia in a patient with subclavian steal, 95

Stott S.: Intermittent airway obstruction during anaesthesia in a patient with an undiagnosed anterior mediastinal mass, 204

Anaesthesia in a patient with untreated myxoedema coma, 295 (C), 502

Continuing Medical Education for recovery nurses, anaesthetic nurses and technicians. Why are they neglected? Navaratnam S., Biswas T. K., Russo K., 288

Continuous femoral nerve block to provide analgesia following femur fracture in a paediatric ICU population: Tobias J. D., 616

Continuous femoral nerve blockade for analgesia in children with femoral fractures: Johnson C. M., 281

Continuous positive airway pressure, mask; cost benefit analysis of, for severe cardiogenic pulmonary oedema. Intensive care costing methodology: Holt A. W., Bersten A. D., Fuller S., Piper R. K., Worthley L. I. G., Vedig A. E., 170

Control of carbon dioxide levels during neuroanaesthesia: current practice and an appraisal of our reliance upon capnography: Isert P. R., 435

Cooper M.: Editorial—Wood Library Museum, 521

Copper kettle vaporizer, the use of in closed system carbon dioxide absorption anaesthesia: Morris L., 383

Cosman S. (C), 738

Costello A. J.: see Costello T. G., 454

Costello T. G., Costello A. J.: Anaesthesia for laser prostatectomy, 454

Cover Note—Ethyl Chloride: Westhorpe R., 3

Cover Note—Keline (Ethyl Chloride) Inhaler: Westhorpe R., 133

Cover Note—The De Ford Somnoform Inhaler: Westhorpe R., 513

Cover Note—The Renton Circle: Westhorpe R., 333

Cover Note—Parrett's Somnoform Inhaler: Westhorpe R., 249

Cover Note—White's Ethyl Chloride Inhaler: Westhorpe R., 639

Cox P. N.: see Schindler M. B., 66

Craig L.: (C), 319

Crawford G.: see Gibbs N., 534

Crawford M. (R), 630, (R) 324 (R), 747

Crawford M.: see Fitzpatrick A. J., 714

Crutchley L. A. H.: see Suen T. K. L., 142

Rowbottom S. J.: Fatal tension pneumoperitoneum with pneumothorax, 298

Croup, viral, the use of steroids and nebulised adrenaline in the treatment of over a seven-year period at a district hospital, 175

Crowhurst J.: (R), 748

Crowhurst J. A.: (C), 739

Currie M.: (R), 124

Cyanotic heart disease, complex uncorrected, general anaesthesia for caesarean section in a patient with: Rowbottom S. J., Gin T., Cheung L. P., 74

Dance M. D.: see Luyt D. K., 303

Davidson A.: (C), 317

Davidson B. B.: see Myles P. S., 670

Dawson P.: see Blake D. W., 522

De Ford Somnoform Inhaler, The: Westhorpe R., 513

De Kock M., Lavandhomme P., Scholtes J. L.: Intraoperative and postoperative analgesia using intravenous opioid, clonidine and lignocaine, 15

Delfos S. J.: see Sims C., 272

Depth of central venous catheterisation: an audit of practice in a cardiac surgical unit: Rutherford J. S., Merry A. F., Occleshaw C., 267

Dexter T. J.: The laryngeal mask airway: a method to improve visualisation of the trachea and larynx during fiberoptic assisted percutaneous tracheostomy, 35

Divatia J. V., Sareen R., Upadhye S. M., Sharma K. S., Shelgaonkar J. R.: Anaesthetic management of tracheal surgery using the laryngeal mask airway, 69

Double-lumen tubes, Robertshaw: a reappraisal thirty years on: Conacher I. D., Herrema I. H. Batchelor A. M., 179

Downey G.: (C), 320

Drager oxylog ventilator at high altitude, function of the: Thomas G. M., Brimacombe J., 276

Dreosti A. V.: (C), 234

Droogers W.: (C), 320

Duff P. J.: (C), 622

Duffy B.: (C), 317

Duffy B. L.: see Shapiro M. G., 22

Harding J. N., Fuller W. R., Peake S.: Cardiac arrest following Haemaccel, 90

Duncan A. W.: (R), 322

Duncan A. W.: see Clough J. B., 30

Dwyer M.: (C), 739

Dyer R. A.: see Swart M. J., 529

Eagle C. C. P.: (C), 236

Editorial—Low flow and closed circuits: Baker A. B., 341

Editorial—Wood Library Museum: Cooper M., 521

Edwards R. M.: (C), 112

Efficacy of low-dose epidural analgesia in surgery of the anal canal—a randomised controlled trial: Kausalya R., Jacob R., 161

El-Dawlatly A. A., Ashour M. H.: Anaesthesia for thymectomy in myasthenia gravis: a non-muscle-relaxant technique, 458

Electronic measurement and control of gas flow: White D., 409

Endotracheal tube, double-lumen, inadvertent relocation of by surgical traction: Pescod D. C., Fernandes J. K., 720

Endotracheal tube position during general anaesthesia: Alterations in: Yap S.-J., Morris R. W., Pybus D. A., 586

Epidural anaesthesia, efficacy of low-dose, in surgery of the anal canal—a randomized controlled trial: Kausalya R., Jacob R., 161

Epidural analgesia and uterine rupture during labour: Rowbottom S. J., Tabrizian I., 79

Epidural analgesia in labour, informed consent—recall of risk information following: Swan H. D., Borshoff D., 139

Epidural catheters, tunneled, for routine use: Pavly T. J. G., 703

Epidural haematoma, painless: Nicholson A., 607

Equipment bridge, a novel, for helicopter transport of critically ill patients: Evans J. S. M., Hotter A., 284

Esmolol in the treatment of severe tachycardia in neonatal tetanus: Luyt D. K., Litmanovitch M., Dance M. D., Mathivha L. R., 303

Esmore D. S.: see Salamonsen R. F., 209

Evans J. S. M., Hotter A.: A novel equipment bridge for helicopter transport of critically ill patients, 284

Exercise-induced transient global amnesia in a patient with subclavian steal: Cone A. M., 95E

External abdominal aortic compression. A study of a resuscitation manoeuvre for postpartum haemorrhage: Riley D. P., Burgess R. W., 571

Eyres R. L.: (R), 322

Fa'arondo J.: see Sparks C. J., 187

Factors affecting outcome following cardiopulmonary resuscitation: So H. Y., Buckley T. A., Oh T. E., 645

Farrell P. T.: Anaesthesia-induced rhabdomyolysis causing cardiac arrest: case report and review of anaesthesia and the dystrophinopathies, 597

Fatal tension pneumoperitoneum with pneumothorax: Crutchley L. A. H., Rowbottom S. J., 298

Fawcett W. J., Shephard J. N., Soni N. C., Barnes P. K.: Oxygen transport and haemodynamic changes during an anaphylactoid reaction, 300

Femoral fractures, continuous femoral nerve blockade for analgesia in children with: Johnson C. M., 281

Femoral nerve block, continuous, to provide analgesia following femur fracture in a paediatric ICU population: Tobias J. D., 616

Femoral nerve blockade, continuous, for analgesia in children with femoral fractures: Johnson C. M., 281

Fernandes J. K.: see Pescod D. C., 720

Fibreoptic Intubation: a solution to failed intubation in a parturient? Edwards R. M., 718

Fitzpatrick A. J., Crawford M., Allan R. M., Wolfenden H.: Aconite poisoning managed with a ventricular assist device: a case report, 714

Ford J.: see Hart G. K., 556

Francis T. J. R.: (C), 504

Frawley G. P., Carden J. R.: Suxamethonium-induced prolonged apnoea in a premature neonate, 192

Freebairn R., Joynt G. M., Lipman J., Bothma P. A.: A double-blind comparison of vecuronium administered by the Springfusor Infusion Device to vecuronium by intermittent bolus injection in critically ill adult patients, 580

Fugere F., Owen H., Ilsley A. H., Plummer J. L., Hawkins D. J.: Changes in oxygen saturation in the 72 hours after hip surgery; the effect of oxygen therapy, 724

Fuller S.: see Holt A. W., 170

Fuller W. R.: see Duffy B. L., 90

Function of the Drager Oxylog ventilator at high altitude: Thomas G. M., Brimacombe J., 276

Gajek H.: (C), 743

Galley R. L. (C), 503

Gandini D.: see Brimacombe J., 291

Gartrell P.: (C), 744

Gas flow, electronic measurement and control of: White D., 409

General anaesthesia for caesarean section in a patient with uncorrected complex cyanotic heart disease: Rowbottom S. J., Gin T., Cheung L. P., 74

Gibb D.: (R), 124

Gibbs J. M.: (R), 122

Gibbs N., Crawford G., Michalopoulos N.: Thrombelastographic patterns following abdominal aortic surgery, 534

Gielen M.: (C), 503

Gillies E. R. N.: (C), 234

Gin T.: (R), 122

Gin T.: see Rowbottom S. J., 74  
See Suen T. K. L., 142

Goldenhar's Syndrome, awake fibreoptic intubation via a laryngeal mask in an infant with: Johnson C. M., Sims C., 194

Gopalkrishnan M.: (C), 498

Gordon P. C.: see Swart M. J., 529

Gorrige J.: see Turner G. A., 25

Goucke R.: (R), 751

Grant C. G.: A classification of anaesthesia for record purposes, 461

Graziotti P.: see Shorten G. D., 165  
See Murphy D. F., 589

Greene N. M.: Laureate of the History of Anesthesia: a new post, 521

Griffiths D.: (R), 238

Grover E. R.: (C), 312

Gunawardene W. M. S.: see Jones R. D. M., 539

Gutteridge G.: (R), 122  
(R), 239

Gutteridge G.: see Hart G. K., 556

Haemacel, cardiac arrest, following: Duffy B. L., Harding J. N., Fuller W. R., Peake S. L., 90

Hall A.: (C), 114

Harding J. N.: see Duffy B. L., 90

Hardy, K. J.: see McNicol P. L., 659  
See McNicol P. L., 666

Harley I. D.: see McNicol P. L., 659  
See McNicol P. L., 666

Hart G. K., Baldwin I., Gutteridge G., Ford J.: Adverse incident reporting in intensive care, 556

Hawkins C.: (C), 739

Hawkins D. J.: see Fugere F., 724

Hayse-Gregson P. B.: see Swart M. J., 529

Helium-oxygen and cardiopulmonary bypass standby in anaesthesia for tracheal stenosis: Riley R. H., Raper G. D., Newman M. A. J., 710

Hemi-arthroplasty of the hip under triple nerve block: Lim W., Kennedy N., 722

Henderson A., Hickman P. E., Ward G., Pond S. M.: Lack of efficacy of plasmapheresis in a patient overdosed with thyroxine, 463

Herrema I. H.: see Conacher I. D., 179

Hickman P. E.: see Henderson A., 463

High-dose aprotinin in cardiac surgery—a prospective, randomized study: Swart M. J., Gordon P. C., Hayse-Gregson P. B., Dyer R. A., Swanepoel A. L., Buckels N. J., Schall R., Odell R. J., 529

High flow closed circuit anaesthesia: Verkaik A., Van Dijk G., 426

Higham C.: see Tonkin P. A., 470

Hillman K.: see Lee A., 562

Hiscock R.: see Blake D. W., 522

Hochmann M.: see Carter B. G., 696

Holland R.: (C), 739

Holloway A. M.: Possible alternatives to soda lime, 359

Holt A. W., Bersten A. D., Fuller S., Piper R. K., Worthley L. I. G., Vedig A. E.: Intensive care costing methodology: cost benefit analysis of mask continuous positive airway pressure for severe cardiogenic pulmonary oedema, 170

Honavar M.: see O'Leary M. J., 729

Honjol N. M.: see van den Berg A. A., 683

Horan B.: (R), 747

Horton R. G.: (C), 233

Hotter A.: see Evans J. S. M., 284

Hui E.: see Rodrigo M. R. C., 576

Humidity of anaesthetic gases with respect to low flow anaesthesia: Kleemann P., 396

Hypotension, sodium nitroprusside induced: haemodynamic response and dose requirements during propofol or halothane anaesthesia: Abdulatif M., 155

Ilsley A. H.: (R), 240

Ilsley A., Lillie P.: In-circuit analysers, 415

Ilsley A. H.: see Fugere F., 723

In vitro buffering capacities of proprietary non-particulate antacids available in New Zealand: Watts D. W., 184

In-circuit analysers: Ilsley A., Lillie P., 415

Inadvertent relocation of double-lumen endotracheal tube by surgical traction: Pescod D. C., Fernandes J. K., 720

Incidence of ventricular fibrillation after aortic cross-clamp release using lignocaine cardioplegia: Wallace S. R., Baker A. B., 442

Incident Reporting in Intensive Care; Adverse: Hart G. K., Baldwin I., Gutteridge G., Ford J., 556

Indomethacin as adjunct analgesia following open cholecystectomy: Turner G. A., Gorrige J., 25

Indomethacin, rectal, for analgesia after appendicectomy in children: Sims C., Johnson C. M., Bergesio R., Delfos S. J., Avramides E. A., 272

Informed consent—recall of risk information following epidural analgesia in labour: Swan H. D., Borshoff D., 139

Infusing liquid anaesthetics into a closed circuit: Weir H., Kennedy R., 376

Inhalation of nitric oxide provides selective pulmonary vasodilatation, aiding mechanical cardiac assist with Thoratec left ventricular assist device: Salamonsen R. F., Kaye D., Esmore D. S., 209

Inhalational mercury poisoning masquerading as toxic shock syndrome: Bharathi Mohan S., Tamilarasan A., Buhl M. R., 305

Intensive care, Adverse Incident Reporting in: Hart G. K., Baldwin I., Gutteridge G., Ford J., 556

Intensive care costing methodology: cost benefit analysis of mask continuous positive airway pressure for severe cardiogenic pulmonary oedema: Holt A. W., Bersten A. D., Fuller S., Piper R. K., Worthley L. I. G., Vedig A. E., 170

Intensive care unit resource utilisation: Buist M., 46

Intermittent airway obstruction during anaesthesia in a patient with an undiagnosed anterior mediastinal mass: Cone A. M., Stott S., 204

Intramuscular ketorolac for postoperative analgesia following laparoscopic sterilization: Shapiro M. G., Duffy B. L., 22

Intraoperative and postoperative analgesia using intravenous opioid, clonidine and lignocaine: De Kock M., Lavandhomme P., Scholtes J. L., 15

Intubation, fibreoptic; a solution to failed intubation in a parturient?: Edwards R. M., 718

Irwin M. G.: see Brown A. G., 150

See Jones R. D. M., 539

See Jones R. D. M., 545

Isert P. R.: Control of carbon dioxide levels during neuroanaesthesia: current practice and an appraisal of our reliance upon capnography, 435

Iwanov V.: see Tonkin P. A., 470

Jacob R.: see Kausalya R., 161

Johnson C. M.: see Sims C., 40

Sims C.: Awake fibreoptic intubation via a laryngeal mask in an infant with Goldenhar's Syndrome, 194

See Sims C., 272

Continuous femoral nerve blockade for analgesia in children with femoral fractures, 281

Jones, M. E.: (R), 240

Jones R. D. M.: see Brown A. G., 150

Vishram A. R., Kornberg J. P., Irwin M. G., Gunawardene W. M. S.: Premedication with oral midazolam in children—an assessment of psychomotor function, anxiolysis, sedation and pharmacokinetics, 539

Vishram A. R., Chan M. M. Y., Bacon-Shone J., Mya G. H., Irwin M. G.: A comparison of three induction agents in paediatric anaesthesia—cardiovascular effects and recovery, 545

Jones S. F.: (C), 113

Jorm C.: (C), 309

Joynt G. M.: see Freebairn R., 580

Kausalya R., Jacob R.: Efficacy of low-dose epidural analgesia in surgery of the anal canal—a randomised controlled trial, 161

Kaye D.: see Salamonson R. F., 209

Keefe P. A.: (C), 319

Kennedy N.: see Lim W., 722

Kennedy R.: see Weir H., 376

Kennedy R. R.: see Thorpe C. M., 380

Ketorolac, intramuscular for postoperative analgesia following laparoscopic sterilisation: Shapiro M. H., Duffy B. L., 22

Khangure M.: see Shorten G. D., 165

Khoob S.: (C), 498

King H. K.: (C), 627

Kitching A. J.: see Allen D. L., 691

Kleemann P.: Humidity of anaesthetic gases with respect to low flow anaesthesia, 396

Knight G.: (R), 323

Komesaroff D.: Low flow anaesthesia—an Australian devotee's perspective, 343

Kornberg J. P.: see Jones R. D. M., 539

Lack of efficacy of plasmapheresis in a patient overdosed with thyroxine: Henderson A., Hickman P. E., Ward G., Pond S. M., 463

Lake A. P. J.: (C), 626

Langley M.: see Myles P. S., 672

Laryngeal mask airway and reinforced laryngeal mask airway, the incendiary characteristics of: Brimacombe J., 694

Latimer R. D.: (C), 310

Lavandhomme P.: see De Kock M., 15

Lee A., Lum M., Hillman K., Bauman A.: Referral of surgical patients to an anaesthetic clinic: a decision-making analysis, 562

Lee G.: (C), 497

Lee T. W.: (C), 622

Leighton S.: (C), 499

Lillie P.: (R), 629

Lillie P.: see Ilsley A., 415

Lim W., Kennedy N.: Hemi-arthroplasty of the hip under triple nerve block, 722

Lin C.: Uptake of anaesthetic gases and vapour, 363

Lipman J.: see Freebairn R., 580

Liquid anaesthetics, infusing into a closed circuit: Weir H., Kennedy R., 376

Liquid infusion, vaporization of isoflurane by: Thorpe C. M., Kennedy R. R., 380

Litmanovich M.: see Luyt D. K., 303

Liu G.: see McNicol P. L., 659

See McNicol P. L., 666

Liver transplantation, patterns of coagulopathy during: Experience with the first 75 cases using thrombelastography: McNicol P. L., Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus P. W., Hardy K. J., Jones R. M., 659

Blood loss and transfusion requirements in: Experience with the first 75 cases. McNicol P. L., Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus P. W., Hardy K. J., Jones R. M., 664

Lockwood C. M.: see Soding P. F., 81

Lockwood G.: Techniques of mechanical ventilation in closed and low flow systems, 419

Lomax D.: (C), 500

Low flow anaesthesia—an Australian devotee's perspective: Komesaroff D., 343

Low H. J., Vlijoen J. F.: Nomogram for anaesthetic uptake, 374

Lueveswanij S.: see Rodrigo M. R. C., 576

Lum M.: see Lee A., 562

Luyt D. K., Litmanovich M., Dance M. D., Mathivha L. R.: Esmolol in the treatment of severe tachycardia in neonatal tetanus, 303

MacGregor F. B.: see Stuart J. C., 679

MacInnis E.: see Maroof M., 605

Macintyre P.: (R), 630

MacKay P.: (R), 239

Mackie D.: (C), 234

Maddern P.: see Russ B., 611

Mahmood N.: (C), 310

Mainland P.: see Chui P. T., 593

Maleck W. H.: (C), 744

Malignant hyperpyrexia, remote testing for: Tonkin P. A., Higham C., Moulds R. F. W., Iwanov V., Russell W. J., 470

Mallios C.: (C), 320

Maroof M., Bonsu A., MacInnis E.: Pulmonary oedema due to upper airway obstruction caused by a Foley catheter, 605

Martens P.: see Van de Putte P., 619

Mathivha L. R.: see Luyt D. K., 303

McCall P. R.: see McNicol P. L., 659

See McNicol P. L., 666

McClymont C.: A comparison of the effect of propofol or thiopentone on the incidence and severity of suxamethonium-induced myalgia, 147

McDonough A. J.: The use of steroids and nebulised adrenaline in the treatment of viral croup over a seven year period at a district hospital, 175

McKenna M.: see Murphy D. F., 589

McLaren P.: (C), 318

McNicol P. L., Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus J. P. W., Hardy K. J., Jones R. M.: Patterns of coagulopathy during liver transplantation: Experience with the first 75 cases using thrombelastography, 659

Liu G., Harley I. D., McCall P. R., Przybylowski G. M., Bowkett J., Angus J. P. W., Hardy K. J., Jones R. M.: Blood loss and transfusion requirements in liver transplantation: Experience with the first 75 cases, 666

Mechanical ventilation, techniques of, in closed and low flow systems: Lockwood G., 419

Mecklen D. W. J.: Propofol injection pain: comparing the addition of lignocaine or metoclopramide, 568

Mediastinal mass, undiagnosed anterior, intermittent airway obstruction during anaesthesia in a patient with: Cone A. M., Stott S., 204

Mercury poisoning, inhalational, masquerading as toxic shock syndrome: Bharathi Mohn S., Tamilarasan A., Buhl M. R., 305

Merridew C. G.: (C), 319

Merry A. F.: see Rutherford J. S., 267

Meyer R. J.: (C), 314

Michalopoulos N: see Gibbs N., 534

Midazolam, oral, in children, premedication with: Jones R. D. M., Visram A. R., Kornberg J. P., Irwin M. G., Gunawardene W. M. S., 539

Miller I.: (R), 748

Moloney J.: see Myles P. S., 201  
(C), 320

Monitoring respiration in sedated patients: Lee G., Shankleton E., Bodlander F. M. S., 497

Moors A. H.: (C), 310

Morris I.: see Shorten G. D., 165

Morris L.: Closed carbon dioxide filtration revisited, 345  
The use of the copper kettle vaporizer in closed system carbon dioxide absorption anaesthesia, 383  
Closed system with agent specific vaporizers and nitrous oxide, 387

Morris R. W.: see Yap S.-J., 586

Moulds R. F. W.: see Tonkin P. A., 470

Moylan S. L.: Streptococcal septicaemia from a drawing pin wound mimicking major vascular injury, 93

Mulligan M.: (R), 123

Muralidhar K.: (C), 114

Murphy D. F., Graziotti P., Chalkiadis G., McKenna M.: Patient-controlled analgesia: a comparison with nurse-controlled intravenous opioid infusions, 589

Murray G.: see Carter B. G., 698

Mya G. H.: see Jones R. D. M., 545

Myalgia, suxamethonium-induced, a comparison of the effect of propofol or thiopentone on the incidence and severity of: McClymont C., 147

Myasthenia gravis, anaesthesia for thymectomy in: A non-muscle-relaxant technique: El-Dawlatly A. A., Ashour M. H., 458

Myles P.: (C), 315

Myles P. S., Moloney J.: Anaesthetic management of a patient with severe bullous lung disease complicated by air leak, 201  
(C), 310  
(C), 316

Williams N. J., Powell J.: Predicting outcome in anaesthesia: understanding statistical methods, 447

Myxoedema coma, untreated, anaesthesia in a patient with: Cone A. M., 295

Nagle C.: see Allen D. L., 691

Navaratnam S., Biswas T. K., Russo K.: Continuing Medical Education for recovery nurses, anaesthetic nurses and technicians. Why are they neglected?, 288

Necrotizing myopathy, acute renal failure in association with acute severe asthma: O'Leary M. J., Honavar M., Coakley J. H., 729

Negus B. H.: (C), 232

Neuroanaesthesia, control of carbon dioxide levels during: Current practice and an appraisal of our reliance upon capnography: Isert P. R., 435

Newcombe G.: (R), 324  
(R), 753

Newell S.: (C), 623

Newman M. A. J.: see Riley R. H., 710

Nicholson A.: Painless epidural haematoma, 607

Nitric oxide, inhalation of, provides selective pulmonary vasodilation, aiding mechanical cardiac assist with Thoratec left ventricular assist device: Salamonsen R. F., Kaye D., Esmore D. S., 209

Nitric oxide and ARDS: Grover E. R., Beale R., Smithies M., Bihari D., 312

Nomogram for anaesthetic uptake: Lowe H. J., Viljoen J. F., 374

Nurse-controlled intravenous opioid infusions, a comparison with patient-controlled analgesia: Murphy D. F., Graziotti P., Chalkiadis G., McKenna M., 589

O'Connell A. J.: (R), 747

O'Leary M. J., Honavar M., Coakley J. H.: Acute necrotizing myopathy and acute renal failure in association with acute severe asthma, 729

O'Neil R.: see Banerjee A., 602

Occleshaw C. J.: see Rutherford J. S., 267

Oduro A.: (C), 310

Oesopagectomy, thoracoscopic, three-stage anaesthesia for: An initial experience: Chui P. T., Mainland P., Chung S. C., Chung D. C., 593

Oh T. E.: see So H. Y., 647

Older P.: (C), 114

Ondansetron 4 mg for the prevention of nausea and vomiting after minor laparoscopic gynaecological surgery: Suen T. K. L., Gin T., Chen P. P., Rowbottom Y. M., Critchley L. A. H., Ray A. K., 142

Ondansetron for prevention of postoperative nausea and vomiting following minor oral surgery: a double-blind randomized study: Rodrigo M. R. C., Campbell R. C. H., Chow J., Tong C. K. A., Hui E., Lueveswanij S., 576

Opie N. J.: see Shorten G. D., 165

Osborne A.: see Carter B. G., 698

Outcome in anaesthesia, predicting: Understanding statistical methods: Myles P. S., Williams N. J., Powell J., 447

Overton J.: (R), 323

Owen H.: (R), 629

Owen H.: see Fugere F., 724

Oxygen saturation, changes in, in the 72 hours after hip surgery: the effect of oxygen therapy: Fugere F., Owen H., Ilsley A. H., Plummer J. L., Hawkins D. J., 724

Oxygen saturation in the elderly following spinal or general anaesthesia, preoperative and postoperative: Brown A. G., Visram A. R., Jones R. D. M., Irwin M. G., Bacon-Shone J., 150

Oxygen transport and haemodynamic changes during an anaaphylactoid reaction: Fawcett W. J., Shephard J. N., Soni N. C., Barnes P. K., 300

P6 acupressure and nausea and vomiting after gynaecological surgery: Allen D. L., Kitching A. J., Nagle C., 691

Paech M. J., Westmore M. D.: Postoperative epidural fentanyl infusion—is the addition of 0.1% bupivacaine of benefit?, 9

Paediatric anaesthesia, A comparison of three induction agents in: Jones R. D. M., Visram A. R., Chan M. M. Y., Bacon-Shone J., Mya G. H., Irwin M. G., 545

Painless epidural haematoma: Nicholson A., 607

Paraplegia, postoperative: an unusual case: Collier C. B., 293

Park G. R.: see Soding P. F., 81

Parnis S. J., van der Walt J. H.: A national survey of atropine use by Australian anaesthetists, 61

Patient-controlled analgesia: a comparison with nurse-controlled intravenous opioid infusions: Murphy D. F., Graziotti P., Chalkiadis G., McKenna M., 589

Patient-controlled analgesia and nurse-controlled infusion analgesia after cardiac surgery; a comparison of: Myles P. S., Buckland M. R., Cannon G. B., Bujor M. A., Breaden A., Salamonsen R. F., Davis B. B., 672

Patterns of coagulopathy during liver transplantation: Experience with the first 75 cases using thrombelastography: McNicol P. L., Liu G., Harley I. D., McCall P. R., Pryzbylski G. M., Bowkett J., Angus P. W., Hardy K. J., Jones R. M., 659

Pavy T. J. G.: Tunnelled epidural catheters for routine use: description of a technique, 703  
(C), 744

Payne T.: (C), 232

Peake S.: see Duffy B. L., 90

Pearce H.: (C), 741

Peck D.: (C), 740

Pembroke A.: see Biswas T. K., 289

Peritonsillar infiltration with bupivacaine for paediatric tonsillectomy: Stuart J. C., MacGregor F. B., Cairns C. S., Chandrachud H. R., 679

Perndt H.: (R), 238

Perndt H.: see Sparks C. J., 187

Pescod D. C., Fernandes J. K.: Inadvertent relocation of double lumen endotracheal tube by surgical traction, 720

Petroianu G. A.: (C), 744

Pharmacokinetics of bupivacaine enantiomers during interpleural infusion: Blake D. W., Bjorksten A., Dawson P., Hiscock R., 522

Phillips G.: (C), 113  
(C), 498

Pickett J. A.: (C), 310

Piper R. K.: see Holt A. W., 170

Pivalizza E. G.: (C), 315  
 Platt P. R.: see Watts A. D. J., 197  
 Plummer J. L.: see Fugere F., 724  
 Pollard B.: (R), 123  
 Pollard B.: (C), 118  
 Pond S. M.: see Henderson A., 463  
 Positive airway pressure, the effect of sustained, on derived cardiac output in children: Clough J. B., Duncan A. W., Sly P. D., 30  
 Possible alternatives to soda lime: Holloway A. M., 359  
 Postoperative apnoea in infants: Sims C., Johnson C. M., 40  
 Postoperative epidural fentanyl infusion—is the addition of 0.1% bupivacaine of benefit? Paech M. J., Westmore M. D., 9  
 Postoperative paraplegia: an unusual case: Collier C. B., 293  
 Powell J.: (C), 315  
     See Myles P. S., 447  
 Predicting outcome in anaesthesia: understanding statistical methods: Myles P. S., Williams N. J., Powell J., 447  
 Premedication with oral midazolam in children—an assessment of psychomotor function, anxiolysis, sedation and pharmacokinetics: Jones R. D. M., Visram A. R., Kornberg J. P., Irwin M. G., Gunawardene W. M. S., 539  
 Preoperative and postoperative oxygen saturation in the elderly following spinal or general anaesthesia—an audit of current practice: Brown A. G., Visram A. R., Jones R. D. M., Irwin M. G., Bacon-Shone J., 150  
 Propofol, accidental intra-arterial injection of, transient decrease in arm blood flow following: Brimacombe J., Gandini D., Bashford L., 291  
 Propofol and seizures: Sutherland M. J., Burt P., 733  
 Propofol injection pain: comparing the addition of lignocaine or metoclopramide: Mecklem D. W. J., 568  
 Prostatectomy, laser, anaesthesia for: Costello T. G., Costello A. J., 454  
 Pryzbylowski G. M.: see McNicol P. L., 659  
     See McNicol P. L., 666  
 Puffer fish poisoning: Sun K. O., Wat J. K. I., So P. C., 307  
 Pulmonary hypertension, severe primary, anaesthetic management for laparoscopic sterilisation and termination of pregnancy in a patient with: Myles P. S., 465  
 Pulmonary oedema due to upper airway obstruction caused by a Foley catheter: Maroof M., Bonsu A., MacInnis E., 605  
 Pybus D. A.: see Yap S.-J., 586  
 Rankin J. M.: (C), 313  
 Raper G. D.: see Riley R. H., 710  
 Ray A. K.: see Suen T. K. L., 142  
 Recovery nurses, anaesthetic nurses and technicians, continuing medical education for. Why are they neglected? Navaratnam S., Biswas T. K., Russo K., 288  
 Rectal indometacin for analgesia after appendicectomy in children: Sims C., Johnson C. M., Bergesio R., Delfos S. J., Avraamides E. A., 272  
 Reed J.: (C), 499  
 Referral of surgical patients to an anaesthetic clinic: a decision-making analysis: Lee A., Lum M., Hillman K., Bauman A., 562  
 Remote testing for malignant hyperpyrexia: Tonkin P. A., Higham C., Moulds R. F. W., Ivanov V., Russell W. J., 470  
 Rennal tubular acidosis: Severe muscle weakness and hypokalaemia secondary to: So P. C., Sun K. O., 613  
 Resource utilisation, intensive care unit: Buist M., 46  
 Respiratory Distress Syndrome—an update: Chapman M. J., 255  
 Rhabdomyolysis, anaesthesia-induced, causing cardiac arrest: Farrell P. T., 597  
 Riley D. P., Burgess R. W.: External abdominal aortic compression. A study of a resuscitation manoeuvre for postpartum haemorrhage, 571  
 Riley R.: (C), 121  
 Riley R. H.: (C), 231  
     (C), 502  
     (C), 625  
 Raper G. D., Newman M. A. J.: Helium-oxygen and cardiopulmonary bypass standby in anaesthesia for tracheal stenosis, 710  
 Roberts J. G.: Editor's note, 120  
 Robertshaw double-lumen tubes: a reappraisal thirty years on: Conacher I. D., Herrema I. H., Batchelor A. M., 179  
 Rodrigo M. R. C., Campbell R. C. H., Chow J., Tong C. K. A., Hui E., Lueveswanij S.: Ondansetron for prevention of postoperative nausea and vomiting following minor oral surgery: a double-blind randomized study, 576  
 Rollison R. A.: (C), 622  
 Rosewarne F.: (C), 317  
 Ross A.: (C), 739  
 Rowbottom S. J., Gin T., Cheung L. P.: General anaesthesia for caesarean section in a patient with uncorrected complex cyanotic heart disease, 74  
 Tabrizian I.: Epidural analgesia and uterine rupture during labour, 79  
     See Critchley L. A. H., 298  
 Rowbottom Y. M.: see Suen T. K. L., 142  
 Rudkin G.: (R), 631  
 Russ B., Maddern P.: Anaphylactic reaction to chlorhexidine in urinary catheter lubricant, 611  
 Russell A. W.: (C), 501  
 Russell W. J.: (R), 506  
 Russell W. J.: see Tonkin P. A., 470  
 Russo K.: see Navaratnam S., 288  
 Rutherford J. S., Merry A. F., Occleshaw C. J.: Depth of central venous catheterisation: an audit of practice in a cardiac surgical unit, 267  
 Salamonsen R. F.: see Myles P. S., 672  
 Kaye D., Esmore D. S.: Inhalation of nitric oxide provides selective pulmonary vasodilatation, aiding mechanical cardiac assist with Thoratec left ventricular assist device, 209  
 Sareen R.: see Divatia J. V., 69  
 Schall R., Odell R. J.: see Swart M. J., 529  
 Schindler M. B., Cox P. N.: A simple method of bronchoalveolar lavage, 66  
 Scholfield J. A.: (C), 116  
 Scholtes J. L.: see De Kock M., 15  
 Septicaemia, streptococcal, from a drawing pin wound mimicking major vascular injury: Moylan M. A., 93  
 Serdyn C.: (C), 626  
 Severe muscle weakness and hypokalaemia—secondary to renal tubular acidosis. So P. C., Sun K. O., 613  
 Shankleton E.: (C), 497  
 Shapiro M. G., Duffy B. L.: Intramuscular ketorolac for postoperative analgesia following laparoscopic sterilization, 22  
 Sharma K. S.: see Divatia J. V., 69  
 Sharma M. L.: (C), 624  
 Shelaonkar J. R.: see Divatia J. V., 69  
 Shepherd J. N.: see Fawcett W. J., 300  
 Shepherd L.: (C), 739  
 Short T. G.: (C), 111  
 Shorten G.: (C), 625  
 Shorten G. D., Opie N. J., Graziotti P., Morris I., Khangure M.: Assessment of upper airway anatomy in awake, sedated and anaesthetised patients using magnetic resonance imaging, 165  
 Simm R. J.: (C), 741  
 Simmons S. W.: (C), 741  
 Sims C., Johnson C. M.: Postoperative apnoea in infants, 40  
     See Johnson C. M., 194  
 Johnson C. M., Bergesio R., Delfos S. J., Avraamides E. A.: Rectal indometacin for analgesia after appendicectomy in children, 272  
 Sin Fai Lam K. N.: see Cheong K. F., 206  
 Singh G.: (C), 504  
 Sly P. D.: see Clough J. B., 30  
 Smith K.: (C), 739  
 Smithies M.: (C), 312  
 So H. Y., Buckley T. A., Oh T. E.: Factors affecting outcome following cardiopulmonary resuscitation, 647  
 So P. C.: see Sun K. O., 307  
     Sun K. O.: Severe muscle weakness and hypokalaemia—secondary to renal tubular acidosis, 613  
 Soda lime, possible alternatives to: Holloway A. M., 359  
 Soding P. F., Lockwood C. M., Park G. R.: The intensive care of

patients with fulminant vasculitis, 81  
 Sodium nitroprusside induced hypotension: haemodynamic response and dose requirements during propofol or halothane anaesthesia: Abdulatif M., 155  
 Soni N. C.: see Fawcett W. J., 300  
 Sparks C. J., Perndt H., Agiomea K., Fa'arondo J.: Spinal anaesthesia for caesarean section in the Solomon Islands, 187  
 Spencer M.: (C), 740  
 Spinal anaesthesia for caesarean section in the Solomon Islands: Sparks C. J., Perndt H., Agiomea K., Fa'arondo J., 187  
 Steven I. M.: (C), 626  
 Stokes J. W.: Use of air to maintain nitrogen stores during low flow and closed circuit anaesthesia, 391  
 Story D.: (C), 114  
 Stott S.: (C), 121  
 See Cone A. M., 204  
 Street N.: (R), 324  
 Street N. E.: (C), 232  
 (R), 752  
 Streptococcal septicaemia from a drawing pin wound mimicking major vascular injury: Moylan S. L., 93  
 Strunin L.: (C), 309  
 Stuart J. C.: (C), 111  
 MacGregor F. B., Cairns C. S., Chandrachud H. R.: Peritonsillar infiltration with bupivacaine for paediatric tonsillectomy, 679  
 Suen T. K. L., Gin T., Chen P. P., Rowbottom Y. M., Critchley L. A. H., Ray A. K.: Ondansetron 4 mg for the prevention of nausea and vomiting after minor laparoscopic gynaecological surgery, 142  
 Sultana A.: (C), 315  
 Sun K. O., Wat J. K. I., So P. C.: Puffer fish poisoning, 307  
 See So P. C., 613  
 Sutherland M. J., Burt P.: Propofol and seizures, 733  
 Suxamethonium-induced prolonged apnoea in a premature neonate: Frawley G. P., Carden J. R., 192  
 Swan H. D., Borshoff D.: Informed consent—recall of risk information following epidural analgesia in labour, 139  
 Swanepoel A. L.: see Swart M. J., 529  
 Swart M. J., Gordon P. C., Hayse-Gregson P. B., Dyer R. A., Swanepoel A. L., Buckels N. J., Schall R., Odell R. J.: High-dose aprotinin in cardiac surgery—a prospective, randomized study, 529  
 Szekely S.: (C), 234  
 Tabrizian I.: see Rowbottom S. J., 79  
 Tamilarasan A.: see Bharathi Mohan S., 305  
 Tan P.: (C), 498  
 Techniques of mechanical ventilation in closed and low flow systems: Lockwood G., 419  
 Tension pneumoperitoneum: Serdyn C., Lake A. P. J., 626  
 Tetanus, neonatal, esmolol in the treatment of severe tachycardia in: Luyt D. K., Dance M. D., Litmanovich M., Mathivha R., 303  
 Teviotdale B.: (C), 119  
 The anaesthetic management for placement of a stent for a high tracheal stenosis: Van de Putte P., Martens P., 619  
 The effect of sustained positive airway pressure on derived cardiac output in children: Clough J. B., Duncan A. W., Sly P. D., 30  
 The incendiary characteristics of the laryngeal and reinforced laryngeal mask airway to CO<sub>2</sub> laser strike—a comparison with two polyvinyl chloride tracheal tubes: Brimacombe J., 694  
 The intensive care of patients with fulminant vasculitis: Soding P. F., Lockwood C. M., Park G. R., 81  
 The laryngeal mask airway: a method to improve visualisation of the trachea and larynx during fibreoptic assisted percutaneous tracheostomy: Dexter T. J., 35  
 The use of steroids and nebulised adrenaline in the treatment of viral croup over a seven year period at a district hospital: McDonough A. J., 175  
 The use of the copper kettle vaporizer in closed system carbon dioxide absorption anaesthesia: Morris L., 383  
 Thirlwell Jones J.: (R), 123  
 Thomas G. M., Brimacombe J.: Function of the Drager Oxylog ventilator at high altitude, 276  
 Thompson W.: (R), 238  
 Thorpe C. M., Kennedy R. R.: Vaporization of isoflurane by liquid infusion, 380  
 Thrombelastographic patterns following abdominal aortic surgery: Gibbs N., Crawford G., Michalopoulos N., 534  
 Thrombelastography: Patterns of coagulopathy during liver transplantation: experience with the first 75 cases using: McNicol P. L., Liu G., Harley I. D., McCall P. R., Prybylowski G. M., Bowkett J., Angus P. W., Hardy K. J., Jones R. M., 659  
 Thyroxine, lack of efficacy of plasmapheresis in a patient overdosed with: Henderson A., Hickman P. E., Ward G., Pond S. M., 463  
 Tibballs J.: see Carter B. G., 698  
 Tobias J. D.: Continuous femoral nerve block to provide analgesia following femur fracture in a paediatric ICU population, 616  
 Tong C. K. A.: see Rodrigo M. R. C., 576  
 Tonkin P. A., Higham C., Moulds R. F. W., Iwanov V., Russell W. J.: Remote testing for malignant hyperpyrexia, 470  
 Tonsillectomy, paediatric: peritonsillar infiltration with bupivacaine for: Stuart J. C., MacGregor F. B., Cairns C. S., Chandrachud H. R., 677  
 Torda T. A.: (C), 115  
 Toxic shock syndrome, inhalational mercury poisoning masquerading as: Bharathi Mohan S., Tamilarasan A., Buhl M. R., 305  
 Tracheal stenosis, high: Anaesthetic management for placement of a stent for: Van de Putte P., Martens P., 619  
 Anaesthesia for: Helium-oxygen and cardiopulmonary bypass standby: Riley R. H., Raper G. D., Newman M. A. J., 710  
 Tracheal surgery using the laryngeal mask airway, anaesthetic management of: Divatia V., Sareen R., Upadhye S. M., Sharma K. S., Shelgaonkar J. R., 69  
 Tracheostomy, percutaneous fibreoptic assisted, the laryngeal mask airway: A method to improve visualisation of the trachea and larynx during: Dexter T. J., 35  
 Training skills and approach to potentially difficult anaesthesia in general practitioner anaesthetists; Watts R. W., Bassham M., 706  
 Tran D. Q.: (C), 236  
 Transient decrease in arm blood flow following accidental intra-arterial injection of propofol into the left brachial artery: Brimacombe J., Gandini D., Bashford L., 291  
 Transient global amnesia, exercise-induced, in a patient with subclavian steal: Cone A. M., 95  
 Triple nerve block, hemi-arthroplasty of the hip under: Lim W., Kennedy N., 722  
 Tunnelled epidural catheters for routine use: description of a technique: Pavay T. J. G., 703  
 Turner G. A., Gorringe J.: Indomethacin as an adjunct analgesia following open cholecystectomy, 25  
 Ulyatt D.: (C), 113  
 Upadhye S. M.: see Divatia J. V., 69  
 Uptake, anaesthetic, nomogram for: Lowe H. J., Viljoen J. F., 374  
 Uptake of anaesthetic gases and vapour: Lin C., 363  
 Use of air to maintain nitrogen stores during low flow and closed circuit anaesthesia: Stokes J. W., 391  
 Utterine rupture during labour, epidural analgesia and: Rowbottom S. J., Tabrizian I., 79  
 Valentine S. J.: (C), 114  
 Van Dijk G.: see Verkaaik A., 426  
 Van de Putte P., Martens P.: The anaesthetic management for placement of a stent for a high tracheal stenosis, 619  
 Vaporization of isoflurane by liquid infusion: Thorpe C. M., Kennedy R. R., 380  
 Vasculitis, fulminant, the intensive care of patients with: Soding P. F., Lockwood C. M., Park G. R., 81  
 Vecuronium administered by the Springfusor Infusion Device, a double-blind comparison of: Freebairn R., Joyst G. M., Lipman J., Bothma P. A., 580  
 Vedig A. E.: see Holt A. W., 170  
 Ventricular assist device, aconite poisoning managed with: Fitzpatrick A. J., Crawford M., Allan R. M., Wolfenden H., 714  
 Verkaaik A., Van Dijk G.: High flow closed circuit anaesthesia, 426  
 Videotape review: Jones M. E., 240  
 Viliunas V.: (C), 499

## INDEX

Vlijoen J. F.: see Lowe H. J., 374

Visram A. R.: see Brown A. G., 150

See Jones R. D. M., 539

See Jones R. D. M., 545

Vocal cord paralysis, bilateral, following endotracheal intubation:  
Cheong K. F., Chan M. Y. P., Sin-Fai-Lam K. N., 206

van den Berg A. A., Honjol N. M.: Clinical comparison of spontaneous respiration versus controlled ventilation general anaesthesia using isoflurane for intraocular surgery: intraoperative, recovery and postoperative effects, 683

van der Walt J. H.: see Parnis S. J., 61  
(C), 624

Wallace S. R., Baker A. B.: Incidence of ventricular fibrillation after aortic cross-clamp release using lignocaine cardioplegia, 442

Ward G.: see Henderson A., 463

Waington A.: (C), 627  
(C), 740

Wat J. K. L.: see Sun K. O., 307

Watkins D. N.: (C), 313

Watts A. D. J., Platt P. R.: Brachiocephalic vein obstruction: Anti-cardiolipin antibody syndrome as a cause of failure of central venous cannulation, 197

Watts D. W.: In vitro buffering capacities of proprietary non-particulate antacids available in New Zealand, 184

Watts R. W., Bassham M.: Training, skills and approach to potentially difficult anaesthesia in general practitioner anaesthetists, 706

Webb R. K.: (C), 234

Weekes J. W. N.: (C), 318

Weir H., Kennedy R.: Infusing liquid anaesthetics into a closed circuit, 376

Westhorpe R.: Cover Note—Ethyl Chloride, 3  
Cover Note—Kelene (Ethyl Chloride) Inhaler, 133  
Cover Note—Parrett's Somnoform Inhaler, 249  
Cover Note—The Renton Circle, 333  
Cover Note—The De Ford Somnoform Inhaler, 513  
Cover Note—White's Ethyl Chloride Inhaler, 635

Westmore M. D.: see Paech M. J., 9

White D.: Electronic measurement and control of gas flow, 409

Williams N. J.: see Myles P. S., 447

Williamson J. A.: (C), 234

Williamson R.: (C), 111

Wolfenden H.: see Fitzpatrick A. J., 714

Wood B. M.: (C), 625

Woodforth I.: (C), 318

Woods P.: (R), 323

Worthley L. I. G.: see Holt A. W., 170

Yap S.-J., Morris R. W., Pybus D. A.: Alterations in endotracheal tube position during general anaesthesia, 586

Zacks R.: (C), 622

